

Table 1
Screening of Leachate Treatment Technologies and Process Options
The Dalles



General Response Action	Remedial Technology	Process Option	Description	Technically Feasible and Implementable?	Effectiveness	Implementability	Cost	Treats Fe-CN Complexes?	Screening Comments
		Air Stripping	Air is added to the waste tank to transfer HCN from the aqueous phase at reduced pH to the vapor phase. Vapors then need treatment prior to discharge.	Yes		Moderate	Moderate	No	Typically used as a pretreatment for other treatment methods. Acid addition would be required to remove all CN.
		Steam Stripping	Steam is used in place of air to transfer HCN to the vapor phase for treament.	Yes	High	Moderate	High	No	Requires energy to generate steam and a second technology to treat vapors.
		— Acid Hydrolysis –	Acid is added to the waste stream to convert cyanide to gaseous HCN which is treated and discharged.	Yes	High	- Moderate -	Moderate	No	Requires specially designed reactors to assure that HCN vapors are properly vented and treated.
		Evaporation	A vacuum is applied to the waste stream to concentrate the CN-containing water.	No	NA NA	NA -	NA	No	O&M issues include fouling, scaling, and avoiding HCN gas production.
		Reverse Osmosis	The waste stream is filtered and passed through a RO membrane . RO permeate then needs to be properly disposed.	Yes		- Moderate -	Moderate	No	RO is sensitive to fouling and requires pre-filtration to less than one micron. Permeate requires offsite disposal.
	Thermal and High Temp. Oxidation	High Temp. Alkaline Hydrolysis	Hydrolytic cracking is used at high temperatures and pressures under alkaline conditions to oxidize CN.	Yes	High	Moderate	High	Yes	Energy intensive and better suited for high concentration wastes. No need to treat iron-CN complexes.
		High Temp. Alkaline Chlorination	Free and WAD CN and FeCN are oxidized at 170 F in 2 -3 hours.	Yes	High —	- Moderate -	High	Yes	Energy intensive and better suited for high concentration wastes. No need to treat iron-CN complexes.
		Incineration/ Thermal	This technology is a complete combustion of CN-containing wastes in conventional incinerators.	Yes	High	Low	High	Yes	Better suited for solid wastes or high CN concentration aqueous waste streams.
		High Temp. Electrolytic Decomposition	Anodic electrolysis under alkaline conditions is used to separate the metals from the metal-CN complexes. Free CN is released and then oxidized to CO ₂ , N ₂ and NH ₃ .	Yes		Low	High	No	No need to treat iron-CN complexes. Energy intensive.
		Polysulfide Process	A patented technology that uses an aqueous solution of ammonium polysulfide, calcium polysulfide or non-alkyl ketones of aldehydes at a temperature of 110-180 C.	Yes	High	- Moderate -	Moderate	Yes	No need to treat iron-CN complexes. Polysulfide is high pH and has strong odor.
		Wet Air Oxidation	Moist air is used at elevated tempuratures (175-300 C) and pressures (20-200 atm) to oxidize free CN and metal-cyanide complexes.	Yes	High	- Moderate -	High	Yes	Better suited for solids treatment or treatment of high concentration wastes. No need to treat iron-CN complexes.
	Aerobic Biological	Activated Sludge	Aerobic process where microbes are maintained in suspension by mixing and/or aeration. Suspended solids are separated and some returned to process (some sludge disposal also). Produces carbon dioxide and ammonia.	Yes	Moderate	Moderate	Low	No	Multiple tanks can be used to allow use of ammonia resulting in nitrogen; some loss of HCN gas is anticipated, but can be minimized; some cyanide removal via adsorption to sludge (but not in all cases).
		— Aerobic Trickling — Filters	Aerobic process where microbes are attached to a support media (e.g., plastic media packing) and the biofilm degrades the cyanide. Oxygen provided by air circulation. Detached biomass removed by a clarifier of discharged directly. Essentially a plug-flow hydraulic system. Produces carbon dioxide and ammonia.	Yes	High	Moderate	Moderate	No	Some cyanide removal by precipitation and adsorption. Some loss of HCN gas anticipated, but this can be minimized and managed.



Retained process option